Replace a File 2.0

Replace a File

This method is used to replace previously uploaded files and returns the new URL for use in CME. The file schema field type for content requires a URL, so you must use this endpoint before saving/updating file content.

NOTE: Only use this endpoint if you want to replace a file. If you're just uploading a file, use U pload a File.

NOTE: This method uses the S3 settings in the org to delete previous files. If those S3 settings ever change, then all files previously uploaded will become zombie files. This method will simply ignore any URLs you pass it that you do not have access to delete (due to changed S3 settings) or are simply invalid.

NOTE: This request must be a *multipart/form-data* for the file to be uploaded. Please search for how to complete a *multipart/form-data* request in your framework/programming language.

Method

PUT

URL

https://cms-api.phunware.com/v2.0/file/s3

Headers

In order to provide CME with the JWT, you must provide a header named Authorization and the token must be prefixed with the word Bearer.

Кеу	Authorization
Value	Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ pZCI6MTY3NCwiZW1haWwiOiJvcmdvd25lck BjeWJhZ2UuY29tliwiZmlyc3RfbmFtZSI6lkN5Y mFnZSIsImxhc3RfbmFtZSI6lk9yZyBPd25lciIsI m9yZ3MiOltdLCJzZXNzaW9uX2lkljoiNzk3ZW RjNmY2Mjk5Y2JmYmEyODE3NDIhMGFIZjI0Y mNhNmZmODM0NSIsIm9yZ19pZCI6NTEsIm 9yZ19uYW1IljoiQ3liYWdIIENsZWFuliwiaWF0Ij oxNDg4MjI5ODY0LCJIeHAiOjE0ODgzMTYyNj R9.Vd7BCYEkeWOq2B3_3Np9yIYDwYaAWy E1-e4ZvClvK4E

Request Parameters

Required parameters are underlined.

Parameter	Value	Description
file	File	The file being uploaded.
<u>previousFile</u>	URL	A string URL to a file previously uploaded through the upload endpoint.

Request

Content-Type: multipart/form-data

Include the two fields above: file and previousFile.

Response

A successful response will have a 200 status code and a body containing the URL of the new file.

```
{
"message": "Successfully uploaded file to S3.",
"file":
"https://lbs-dev.s3.amazonaws.com/cyb-cln/e4d22
a023db54fa08680b11078e0d9d6/dog_typing_fast.gif
"
}
```

Error Handling

An error response will return a 400 (or 500 for internal server error) and a message:

```
{
"message": "No file found in the request."
}
```